Aqua Rigid Stand Kit

RS 50 and RS 63mm For PE pipe



HIGHLIGHTS

- Riser Connection Outlet: ½" and ¾" Female, Inlet: ½" and ¾" Male
- Compatible and durable rigid-set and semi permanent irrigation system suitable for agriculture field.
- UV resistant material for long life.
- Fast and user-friendly installation in the field.
- 'O'ring and gasket in rigid stand to avoid leakage.
- Easy assembly mechanism saves on field time and labour.
- Stable and balanced base design for excellent gripping in the field with minimal riser vibration.

TECHNICAL DATA


- ¾" Rigid Riser Length: 40cm
- ½" Rigid Riser Length: 45cm
- For PE 50 and 63mm pipe quick and reliable connection
- Working Pressure Range: Up to 4.0 kg/cm^2
- All parts are available in spares.




AQ - 46 with Assembly




Robin with Assembly





S.No	Part Name
1	Compression Cap
2	Gripper
3	Bush
4	O-Ring
5	Quick Adaptor
6	Rigid Base
7	SS-Bolt with Washer
8	Hook
9	Hook Pin
10	Coupler V-ring
11	Coupler
12	Riser O-Ring
13	Riser Riser


Spares Parts	
	Rigid Stand Plug
	Coupling Nut 2" Male Thread BSP/NPT
	Quick adaptor PE 50/PE 63
	Rigid Riser ¾" Fx ¾" M - Length 40cm Rigid Riser ½" Fx ½" M - Length 45cm



Creating a Green World®

Saddle with stablizer

Riser connection Size: ½", ¾" & 1"



HIGHLIGHTS

- Stablizer designed for excellent gripping in the field with minimal riser vibration.
- 0-ring in saddle avoid leakage at minimum pressure.
- Fast installation and easy to use in the field.
- Polypropylene material gives excellent strength and flexibility to achieve excellent functionality.
- UV resistant material for long life.

TECHNICAL DATA

- Working pressure: Up to 4.0 kg/cm^2 (57 PSI)
- Pipe Size OD: 40mm / 50mm / 63mm

Gun Stand Coupling

Connection Size: 1¼" & 1½"

HIGHLIGHTS

- 2 part design.
- Made of Aluminum with power coating for long life.
- Self locking by Spring loaded Brass Button lock.
- Fast & easy couple rain gun on riser.



TECHNICAL DATA

Sr. No.	Model No.	Descriptions
1	AQ-40GCM	1¼" Gun Coupling Male
2	AQ-40GCF	1¼" Gun Coupling Female
3	AQ-42GCM	1½" Gun Coupling Male
4	AQ-42GCF	1½" Gun Coupling Female